



SEQUENCE LISTING

<111> Tanaki, et al.

<120> Agent for Prevention and Treatment of inflammatory bowel disease

<130> SAEG143.001AUS

<140> US 10/748,490

<141> 2003/12/30

<160> 5

<170> PatentIn Ver. 2.1

<210> 1

<211> 4

<212> PRT

<213> humans, bacteria, or yeasts

<300>

<301> Tagaya Y

Maeda Y

Mitsui A

Kondo N

Matsui H

Hamuro J

Brown N

Arai K

Yokota T

Wakasugi H

<302> ATL-derived factor (ADF), an IL-2 receptor/TAC inducer homologous to thioredoxin; possible involvement of dithiol-reduction in the IL-2 receptor induction

<303> Embo J

<304> 8

<306> 757-764

<307> 1989

<400> 1

Cys Gly Pro Cys

<210> 2

<211> 4

<212> PRT

<213> Artificial sequence

<220>

<221> ACT_SITE

<222> (2)..(3)

<223> Xaa is independently one of the twenty natural amino acids

<400> 2

Cys Xaa Xaa Cys

<210> 3

<211> 4

<212> PRT
<213> humans, bacteria, or yeasts

<400> 3
Cys Pro Tyr Cys

<210> 4
<211> 4
<212> PRT
<213> humans, bacteria, or yeasts

<400> 4
Cys Pro His Cys

<210> 5
<211> 4
<212> PRT
<213> humans, bacteria, or yeasts

<400> 5
Cys Pro Pro Cys